





Air Circulation Building




● **Diffuser**

● **Grille**

● **Louvre**


● **Damper**

● **Filter**




SKETCH	AIRFLOW DIRECTION
	SQUARE 4-WAY
	RECTANGULAR 3-WAY
	RECTANGULAR 3-WAY
	SQUARE 2-WAY
	RECTANGULAR 2-WAY
	RECTANGULAR 2-WAY
	RECTANGULAR 1-WAY

SKETCH	AIRFLOW DIRECTION
	RECTANGULAR 2-WAY
	RECTANGULAR 3-WAY
	SQUARE 2-WAY
	RECTANGULAR 2-WAY
	RECTANGULAR 2-WAY
	SQUARE 1-WAY
	RECTANGULAR 1-WAY




Round Diffuser



SLOT	Neck Size
1 Slot	50 mm
2 Slot	100 mm
3 Slot	150 mm
4 Slot	200 mm
5 Slot	n x 50 mm




Supply Air Grille (SAG)



Material Finishing :


- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize

Return Air Grille (RAG)



Material Finishing :


- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize



Material Finishing :

- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize



Supply Bar Grille



Material Finishing :

- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize


Linear Slot Butterfly



SLOT	Neck Size
1 Slot	50 mm
2 Slot	100 mm
3 Slot	150 mm
4 Slot	200 mm
5 Slot	n x 50 mm

Material Finishing :
 - Aluminium
 - Powder Coating
 - Baked Enamel Paint
 - Anodize

Linear Slot Up - Down




SLOT	Neck Size
1 Slot	50 mm
2 Slot	100 mm
3 Slot	150 mm
4 Slot	200 mm
5 Slot	n x 45 mm

Material Finishing :
 - Aluminium
 - Powder Coating
 - Baked Enamel Paint
 - Anodize


Circular Louvre

Normal Type





Material Finishing :
 - Aluminium
 - Powder Coating
 - Baked Enamel Paint
 - Anodize

Vent Cap Type



Material Finishing :
 - Aluminium
 - Powder Coating
 - Baked Enamel Paint
 - Anodize

Square and Rectangular Louvre



Material Finishing :
 - Aluminium
 - Powder Coating
 - Baked Enamel Paint
 - Anodize

Volume Control Damper (VD)



Material :
 - Casing 1,2mm 1 steel plate
 - Blade 1,2mm 1 steel plate
 - Blade Shaft 1,2mm steel round bar
 - Flange steel equal angles

Finishing : Zinchromate

Fire Damper (FD) and Non Return Damper




Material :
 - Casing 1,2mm 1 steel plate
 - Blade 0,6mm 1 steel plate
 - Blade Shaft 8 mm steel round bar
 - Flange steel equal angles



Finishing : Zinchromate

Tinggi (mm)	Jumlah
< 300	1
300 - 500	2
450 - 550	3
800 - 900	4
950 - 1.100	5

Opposed Blade Damper (OBD)




Material : BJLS 0,4 - 0,5 mm
Finishing : Galvanized



Material : BJLS 0,4 - 0,5 mm
Finishing : Galvanized

Spigot Damper




Material : BJLS 0,4 - 0,5 mm
Finishing : Galvanized

Alumunium and Filter Videlon





Material Finishing :
- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize




Material Finishing :
- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize

Hinger Diffuser (Man Hole)



Material Finishing :
- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize



Material Finishing :
- Aluminium
- Powder Coating
- Baked Enamel Paint
- Anodize

Also Available Product :



Seng & Galvanil



Glasswool



Aluminium Foil



Flexible Duct



Preinsulated Aluminum Duct



Aluminium Tape



Spindlepin



Control Valve



High Quality Closed Cell



Rockwool



PT ADIMAS ISOLASITAMA

AUTHORIZED DISTRIBUTOR

INSULATION, BUILDING, AIRCON & INDUSTRIAL INSTALLATION MATERIALS

Jl. Pangeran Jayakarta 131 - A / 11, Jakarta 10730 - INDONESIA

Telp. (021) 6257888 (H), 6397888 (H) Fax. (021) 6258836 - 6393079

WA Customer Care : 081213157888 (H)

website : www.adimas.co.id

Email : info@adimas.co.id